

Vision Release DLM 640

Summary of Changes

October 2018

SNOMED CT

- Most of the changes within DLM 640 are background changes to support recent changes to QoF Business Rules that now reference inactive SNOMED concept ids. [Click here for further information on SNOMED CT implementation in Vision.](#)

Consultation Manager

- **Therapy Inactivation/Reauthorisation Reasons** - Providing you have your therapy settings configured to select an inactivation/reactivation reason, it is now possible to select more than one reason for both:
 - **Therapy Inactivation** - Up to five reasons, see [Therapy Inactivation Reasons](#) page 2 for details and
 - **Therapy Reauthorisation Changes** - Up to four reasons as the first reason is always **Reauthorisation**, see [Therapy Reauthorisation Change Reasons](#) page 4 for details.
 - **Scotland only - Reauthorisation of CMS items** - Up to three reasons as the first two are always **Cancellation** and **Reauthorisation**, see [Therapy Reauthorisation Change Reasons](#) page 4 for details.

Key:

-  New functionality
-  Update to existing functionality
-  Bug Fix


Therapy Inactivation Reasons

If your therapy settings are configured to select an inactivation/reactivation reason, see [Therapy - Consultation Options Setup - Repeats](http://help.visionhealth.co.uk/DLM640/Consultation_Manager/index.htm#28985) http://help.visionhealth.co.uk/DLM640/Consultation_Manager/index.htm#28985, you must select between one and five reasons from the **Inactivation Reason** screen.

To inactive a therapy item:



1. From **Consultation Manager**, select the patient required.
2. Select the **Therapy** tab.
3. Highlight the item(s) you require and then select **Inactivate** .
4. The **Inactivation Reason** screen is displayed:



Tick up to five reasons

Enter additional information if required

5. Tick up to five reasons for inactivation in the correct order, most appropriate first.

 **Note** - It is important you select the inactivation reasons in the order of relevance, they are listed in the patient's record in selected order and the initial selection is coded for GP2GP transmission purposes. Any subsequent reasons selected are transmitted as text for GP2GP. If you select them in the wrong order, simply deselect them and then select in the correct order.

6. In Additional text enter any extra details required, up to 192 additional characters.

 **Note** - If you have selected more than one item, the Inactivation Reason(s) selected are allocated to all the selected items.

7. Select **OK**.

Scotland only

For electronic Chronic Medication Services (CMS) items:

- **Not printed** - When you inactivate a CMS items marked **Not printed**, you are offered the option to assign from one to five inactivation reasons with additional text if required.

Tick up to five reasons

Enter additional information if required

Inactivation Reason

Please select up to 5 reasons for inactivating this medication:

- Patient has recovered
- Patient non-compliance
- Patient moved to a different drug
- Preparation change
- Drug discontinued by manufacturer
- Dose change
- Manufacturer supply problems
- Change to brand/generic
- Advised by Hospital/Other agency
- Palliative care
- Allergy/Adverse effect/intolerance
- Drug ineffective
- Drug switch programme
- No longer required
- Patient decision
- Other

Additional text:

OK Cancel

- **Items sent to the Community Pharmacy** - When you inactivate a CMS item that has been sent to the community pharmacy, you have a reduced list to select from as per CMS regulations where you can only select one reason plus additional comment if required:

Cancel Prescription Reason

Please select a reason for this cancellation:

- Prescribing error
- Clinical contra-indication
- Change to medication treatment regime
- Clinical grounds
- At the patient's request
- At the pharmacist's request
- Patient deducted - registered with new practice
- Patient deducted - other reason

Additional text:

SME TEST 05092018

OK Cancel

Therapy Reauthorisation Change Reasons

If your therapy settings are configured to select an inactivation/reactivation reason, see [Therapy - Consultation Options Setup - Repeats](http://help.visionhealth.co.uk/DLM640/Consultation_Manager/index.htm#28985) http://help.visionhealth.co.uk/DLM640/Consultation_Manager/index.htm#28985, you must select between one and four reasons from the **Inactivation Reason** screen if you change any aspect of a repeat master when you reauthorise it.

 **Training Tip** - Please remember, when you reauthorise a repeat medication, you are in effect deactivating the old repeat master and creating a new one, so even changing the number of repeats allowed triggers the **Reauthorisation Change Reason** screen if you have this option configured.


To reauthorise a therapy item:



1. From **Consultation Manager**, select the patient required.
2. Select the **Therapy** tab.
3. Select **Reauthorise**.

 **Note** - If you select more than one item, you are unable to allocate any additional reauthorisation change reasons.

4. The **Reauthorisation Change Reason** screen is displayed:



Tick up to four reasons

Enter additional information if required

5. Tick up to four reasons for inactivation in the correct order, most appropriate first.
-  **Note** - It is important you select the reauthorisation reasons in the order of relevance, they are listed in the patient's record in selected order and the initial selection is coded for GP2GP transmission purposes. Any subsequent reasons selected are transmitted as text for GP2GP. If you select them in the wrong order, simply deselect them and then select in the correct order.

6. Enter any extra details, up to 192 additional characters, in **Additional text**.

7. Select **OK**.

Scotland only

For electronic Chronic Medication Services (CMS) items:

- **Not printed** - When you reauthorise a CMS items marked as **Not printed**, you are offered the option to assign from one to four inactivation reasons with additional text if required.

The screenshot shows a dialog box titled "Reauthorisation Change Reason" with a close button (X) in the top right corner. The main text reads: "Please select up to 4 reasons for reauthorising this medication:". Below this, there are two columns of checkboxes. The first column contains: "Patient has recovered", "Patient moved to a different drug", "Drug discontinued by manufacturer", "Manufacturer supply problems", "Advised by Hospital/Other agency", "Allergy/Adverse effect/intolerance", "Drug switch programme", and "Patient decision". The second column contains: "Patient non-compliance", "Preparation change", "Dose change", "Change to brand/generic", "Palliative care", "Drug ineffective", "No longer required", and "Other". Below the checkboxes is a text area labeled "Additional text:" with a scroll bar. At the bottom are "OK" and "Cancel" buttons. Handwritten annotations include "Tick up to four reasons" with an arrow pointing to the first column of checkboxes, and "Enter additional information if required" with an arrow pointing to the text area.

- **Items sent to the Community Pharmacy** - When you reauthorise and change a CMS item that has been sent to the community pharmacy, you can only select three additional reasons, **Cancellation** and **Reauthorisation** are attributed to the change automatically.

The screenshot shows a dialog box titled "Reauthorisation Change Reason" with a close button (X) in the top right corner. The main text reads: "Please select up to 3 reasons for reauthorising this medication:". Below this, there are two columns of checkboxes. The first column contains: "Patient has recovered", "Patient moved to a different drug", "Drug discontinued by manufacturer", "Manufacturer supply problems", "Advised by Hospital/Other agency", "Allergy/Adverse effect/intolerance", "Drug switch programme", and "Patient decision". The second column contains: "Patient non-compliance", "Preparation change", "Dose change", "Change to brand/generic", "Palliative care", "Drug ineffective", "No longer required", and "Other". Below the checkboxes is a text area labeled "Additional text:" with a scroll bar. At the bottom are "OK" and "Cancel" buttons. Handwritten annotations include "Tick up to three reasons" with an arrow pointing to the first column of checkboxes, and "Enter additional information if required" with an arrow pointing to the text area.

Viewing Inactivation/Reauthorisation Reasons

Inactivation and Reauthorisation Change Reasons are displayed in the order they were selected, followed by any additional comments indicated by <<text here>>. For a reauthorisation, the first reason is always **Reauthorisation**. Recorded reasons can be viewed from:



Consultation Manager

1. From the patients record:

- **Journal** tab:

Date	Description
13/08/18	<input checked="" type="checkbox"/> Repeat Cala Soothe cream (Ennogen Healthcare Ltd) Last issued: 13/08/2018 Issued: 1 maximum 7 allowed Supply (100) ml APPLY TO AFFECTED AREA(S) WHEN REQUIRED Repeat Inactivation. Reason: Reauthorisation, Dose change.

Reasons displayed in order of selection

- **Therapy** tab, select + to expand the item line:

Last Issued	Drug	Iss	Max	Dosage	Q...	Preparation	Pro...	Authorised	Repeat Until	Prescriber	Print Script
10/08/2018	<input checked="" type="checkbox"/> Riebetol 200mg capsules (Merck Sharp & Dohme Ltd)	1	8	TAKE ONE	140	capsule		10/08/2018		DTEY	Yes
10/08/2018	<input checked="" type="checkbox"/> Repeat Inactivation. Reason: Reauthorisation, Patient has recovered, Advised by Hospital/Other agency, Change to brand/generic, Dose change.										

Select + to view reasons

Reasons displayed in order of selection



Event Log

2. From **Event Log - Event Type**, select **Repeat Inactivation**.

3. Define the search criteria as required and select **Search**

Matching items are displayed, select the item required and the reasons are displayed in the Details section:

Select criteria as required

Select Search

System Event Log

User: <All Users> From Date: 06/08/2018 To Date: 13/08/2018 [Select Patient] [Deselect Patient] [Search]

Event Type

- System Access
 - Unsuccessful login
 - Successful login
 - Logout
 - Password Re-enter Failed
 - Login Aborted
 - Workstation lock
 - Workstation unlock
 - Forced Shutdown
 - Remote access dialin - INPS Sup
 - Module started
 - Module ended
 - Password changed
 - Password reset
 - Login Failures Cleared
 - User lockout
 - Screen saver invoked
 - Screen saver ended
- Installations
 - Drug Dictionary Install
 - Read Dictionary Install
 - Software Install
 - Supplementary Install
 - Snomed Dictionary Install
- Consultations
 - Consultation started
 - Consultation ended
 - Patient selected
 - Patient deselected
- Prescribing
 - Drug Options Changed
 - High Level Drug Warning
 - Medium Level Drug Warning
 - Low Level Drug Warning
 - Reason for Drug Warning Overm
 - Drug Warnings Suppressed
 - Online Repeat Completed
 - Online Repeat Request Receiv
 - Repeat Inactivation
 - Repeat Reactivation
 - Prescription Cancellation
 - Prescription Amendment
 - Prescription Reprint
 - Off Formulary Prescription
 - Drug Name Update

Date	Time	User	Event	Patient	Work-Station	Detail
13/08/2018	2:19:38pm	System ...	Repeat Inactivation	Victoria Lou...	ENGLANDTH...	Reauthorisation (RIR012)
13/08/2018	7:14:27am	System ...	Repeat Inactivation	James M M...	ENGLANDTH...	Reauthorisation (RIR012), Dose change (RIR015)
13/08/2018	7:42:35am	System ...	Repeat Inactivation	Mary Hadzi...	ENGLANDTH...	Reauthorisation (RIR012), Patient has recovered (RIR002), Patient decision (RIR010), Palliative care (RIR021), Drug ineffective (RIR022), Other (RIR011), <<same drug is prescribed with different strength>>
13/08/2018	8:00:04am	System ...	Repeat Inactivation	Monika Gal...	ENGLANDTH...	Reauthorisation (RIR012), Patient decision (RIR010)
13/08/2018	1:30:41pm	System ...	Repeat Inactivation	Vijaypal Gu...	ENGLANDTH...	Reauthorisation (RIR012), Drug switch programme (RIR009), Patient non-compliance (RIR018), Patient moved to a different drug (RIR003), No longer required (RIR023), Change to brand/generic (RIR020)
13/08/2018	1:38:30pm	System ...	Repeat Inactivation	Vijaypal Gu...	ENGLANDTH...	Reauthorisation (RIR012), Patient has recovered (RIR002)
13/08/2018	1:44:49pm	System ...	Repeat Inactivation	George W ...	ENGLANDTH...	Reauthorisation (RIR012), Advised by Hospital/Other agency (RIR017)
13/08/2018	1:45:20pm	System ...	Repeat Inactivation	George W ...	ENGLANDTH...	Reauthorisation (RIR012), Patient has recovered (RIR002)
13/08/2018	1:54:14pm	System ...	Repeat Inactivation	Barbara Vic...	ENGLANDTH...	Reauthorisation (RIR012), Preparation change (RIR019)
10/08/2018	7:38:57am	System ...	Repeat Inactivation	Raymond W...	ENGLANDTH...	Allergy/Adverse effect/intolerance (RIR008)
10/08/2018	1:48:56pm	System ...	Repeat Inactivation	James Mak...	ENGLANDTH...	Reauthorisation (RIR012), Drug ineffective (RIR022)
10/08/2018	12:36:14pm	System ...	Repeat Inactivation	Patricia Fai...	ENGLANDTH...	Reauthorisation (RIR012), Patient has recovered (RIR002), Advised by Hospital/Other agency (RIR017), Change to brand/generic (RIR020), Dose change (RIR015)
10/08/2018	11:10:58am	System ...	Repeat Inactivation	Elizabeth A...	ENGLANDTH...	Reauthorisation (RIR012)
10/08/2018	10:28:58am	System ...	Repeat Inactivation	Elizabeth A...	ENGLANDTH...	Reauthorisation (RIR012), Allergy/Adverse effect/intolerance (RIR008)
10/08/2018	7:12:58am	System ...	Repeat Inactivation	Victoria J Ba...	ENGLANDTH...	Palliative care (RIR021), Manufacturer supply problems (RIR016), Allergy/Adverse effect/intolerance (RIR008), Dose change (RIR015), Other (RIR011), <<Due to some adverse effects>>
09/08/2018	1:04:33pm	System ...	Repeat Inactivation	Monika Gal...	ENGLANDTH...	Drug discontinued by manufacturer (RIR004), Change to brand/generic (RIR020), Palliative care (RIR021), Patient decision (RIR010), Advised by Hospital/Other agency (RIR017)
09/08/2018	1:33:56pm	System ...	Repeat Inactivation	Barbara Urq...	ENGLANDTH...	Patient decision (RIR010), Allergy/Adverse effect/intolerance (RIR008)
09/08/2018	1:08:15pm	System ...	Repeat Inactivation	Monika Gal...	ENGLANDTH...	Drug discontinued by manufacturer (RIR004), Dose change (RIR015), Allergy/Adverse effect/intolerance (RIR008), Drug ineffective (RIR022), Patient decision (RIR010)
09/08/2018	1:36:59pm	System ...	Repeat Inactivation	George Rob...	ENGLANDTH...	Allergy/Adverse effect/intolerance (RIR008), Preparation change (RIR019), Drug ineffective (RIR022)
09/08/2018	1:33:56pm	System ...	Repeat Inactivation	George Rob...	ENGLANDTH...	Allergy/Adverse effect/intolerance (RIR008), Preparation change (RIR019), Drug ineffective (RIR022)
09/08/2018	1:17:11pm	System ...	Repeat Inactivation	Barbara Urq...	ENGLANDTH...	Patient decision (RIR010), Allergy/Adverse effect/intolerance (RIR008)
09/08/2018	1:18:00pm	System ...	Repeat Inactivation	Barbara Ver...	ENGLANDTH...	Dose change (RIR015), Drug discontinued by manufacturer (RIR004), Manufacturer supply problems (RIR016), Allergy/Adverse effect/intolerance (RIR008), Other (RIR011), <<test>>
09/08/2018	1:18:22pm	System ...	Repeat Inactivation	Barbara Ver...	ENGLANDTH...	Advised by Hospital/Other agency (RIR017), Patient non-compliance (RIR018)
09/08/2018	12:14:11pm	System ...	Repeat Inactivation	Barbara Ver...	ENGLANDTH...	Patient has recovered (RIR002), Manufacturer supply problems (RIR016), Allergy/Adverse effect/intolerance (RIR008), Drug switch programme (RIR009), Patient decision (RIR010), <<ysrsrgdsfdsfdsfdsfds>>
09/08/2018	12:28:26pm	System ...	Repeat Inactivation	Patricia Fai...	ENGLANDTH...	Allergy/Adverse effect/intolerance (RIR008)
09/08/2018	12:29:20pm	System ...	Repeat Inactivation	Patricia Fai...	ENGLANDTH...	Allergy/Adverse effect/intolerance (RIR008)

Reasons displayed in Detail

Date	Time	User	Event	Patient	Work Station	Detail
13/08/2018	2:19:38pm	System Supervisor, Mr [SYS]	Repeat Inactivation	Victoria Louise Bah 01/01/1978 Female NHS: 712 027 4112	ENGLANDTHERAPY	Reauthorisation (RIR012) Repeat Felodipine 2.5mg modified-release tablets Last Issued: 13/08/2018 Issued: 2 maximum 8 allowed Supply: (28) tablet 1 TABLET ONCE DAILY Mr Gareth Kednas

Close Help Print

Select Repeat Inactivation